PARP Mouse Monoclonal Antibody (M3)

Catalog No.: RA10397

Basic Information

г		P			•
	m.		rm	o t	ion
		w		lat	шиш

Reactivity H

Immunogen Synthetic Peptide

Host Mouse

Isotype IgG1

Storage Buffer & Condition 1mg/ml in PBS, pH 7.4, containing 0.02% sodium

azide and 50% glycerol.

Observed MW 116KD

Applications	Recommended I	Dilution

WB 1:1,000-3,000

IHC 1:200-500


Preparation & Storage


Storage Storage Storage Storage

shipment.

Shipping Bule Ice

Experimental Data





Western blot analysis of 1)Hela, 2)293T, 3)Jurkat with PARP Mouse mAb diluted at 1:2,000.

Immunohistochemical analysis of paraffin-embedded Human Tonsil Tissue using PARP Mouse mAb diluted at 1:500.

Background

Poly [ADP-ribose] polymerase 1 (PARP-1) also known as NAD+ ADP-ribosyltransferase 1 or poly[ADP-ribose] synthase 1 is an enzyme that in humans is encoded by the PARP1 gene. PARP1 has a role in repair of single-stranded DNA (ssDNA) breaks. Knocking down intracellular PARP1 levels with siRNA or inhibiting PARP1 activity with small molecules reduces repair of ssDNA breaks. In the absence of PARP1, when these breaks are encountered during DNA replication, the replication fork stalls, and double-strand DNA (dsDNA) breaks accumulate.