
Histone H3(Mono Methyl Arg17) Rabbit Polyclonal Antibody

Catalog No.: RA20092

Basic Information

Information	
Reactivity	H,R
Immunogen	Synthetic Peptide
Host	Rabbit
Isotype	IgG
Storage Buffer & Condition	1mg/ml in PBS, pH 7.4, containing 0.02% sodium azide and 50% glycerol.
Observed MW	15-17KD
Applications	Recommended Dilution
Applications	Recommended Dilution
WB	1:500-1,000
WB	1:500-1,000
WB IHC	1:500-1,000
WB IHC Preparation & Storage	1:500-1,000 1:200-500 Store at -20°C. Stable for one year from the date of



Western blot analysis of 1)Hela, 2)Rat Testis Tissue with Histone H3 (Mono Methyl Arg17) Rabbit pAb diluted at 1:1,000.

Immunohistochemical analysis of paraffin-embedded Human Breast Caricnoma using Histone H3 (Mono Methyl Arg17) Rabbit pAb diluted at 1:500.

Background

Histone H3 is one of the five main histone proteins involved in the structure of chromatin in eukaryotic cells. Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability.